



(1) Publication number:

0 471 392 A2

(12)

# **EUROPEAN PATENT APPLICATION**

(1) Application number: 91201722.5

② Date of filing: 04.07.91

(9) Int. Cl.<sup>5</sup>: **A61K 7/32**, A61K 7/36, A61K 7/48

- Priority: 13.07.90 GB 9015502
- Date of publication of application: 19.02.92 Bulletin 92/08
- Designated Contracting States:
   AT BE CH DE DK ES FR GB GR IT LI NL SE
- 7) Applicant: UNILEVER NV
  Burgemeester s'Jacobplein 1 P.O. Box 760
  NL-3000 DK Rotterdam(NL)
- BE CH DE DK ES FR GR IT LI NL SE AT
- Applicant: UNILEVER PLC
   Unilever House Blackfriars
   London EC4P 4BQ(GB)
- ⊗ GB
- Inventor: Park, Andrew Campbell, Unllever Research Port Sunlight Laboratory, Quarry Road East Bebington, Wirral, Merseyside L63 3JW(GB)
- Representative: van Gent, Jan Paulus et al Unilever N.V., Patent Division Postbus 137 NL-3130 AC Vlaardingen(NL)

- (SA) Deodorant composition.
- (F) A propellant-free deodorant composition suitable for topical application to human skin, which comprises: i an effective amount of a deodorant chosen from salts or oxides of zinc or magnesium, which are sparingly soluble in water;

ii a cellulosic polymer having a water absorbing capacity of at least 1; and iii a volatile silicone.

#### EP 0 471 392 A2

## FIELD OF THE INVENTION

The invention relates to deodorant compositions suitable for topical application to human skin, particularly liquid compositions suitable for use with a roll-on dispenser, or solid compositions suitable for use as a cosmetic stick together with a stick holder.

#### BACKGROUND TO THE INVENTION

The deodorant and anti-perspirant market is dominated with products based on aluminium or zirconium salts which are intended to prevent, or at least control, perspiration at the skin surface, particularly on the underarm, while simultaneously providing a perceived degree of deodorancy.

It has also been proposed in US 4,605,553 (Passalacqua) to employ aluminium chlorhydrate in an antiperspirant dry pressed powder stick which otherwise also contains zinc stearate, magnesium carbonate and alpha cellulose. The cellulose ingredient is said to enhance flowability of the powder blend when formed into a stick, and it also adds to the cosmetic feel on the skin and can assist in binding the powdered material together to give the stick strength.

Certain doubts as to the safety in use of aluminium salts have recently stimulated a search for alternative antiperspirant active materials. As a result of this need, we have now developed a totally new approach to the control of perspiration at the skin surface, while maintaining deodorancy, by combining a moisture-absorbent cellulosic polymer, which literally mops up perspiration as it appears at the skin's surface, with a special salt, which not only performs a deodorancy function, but which does not adversely affect the efficacy of the moisture-absorbent polymer.

#### **DEFINITION OF THE INVENTION**

25

30

Accordingly, the invention provides a propellant-free deodorant composition suitable for topical application to human skin, which comprises:

- i. an effective amount of a deodorant chosen from salts or oxides of zinc or magnesium, which are sparingly soluble in water;
- ii. a cellulosic polymer having a water absorbing capacity of at least 1; and
- iii. a volatile silicone.

## DISCLOSURE OF THE INVENTION

## 55 The Deodorant

The composition according to the invention comprises a deodorant which is chosen from salts or oxides of zinc or magnesium which are insoluble or only sparingly soluble in water.

Examples of suitable salts or oxides are:

v zinc oxide

zinc carbonate

zinc citrate

zinc laurate

zinc oleate

45 zinc orthophosphate

zinc stearate

zinc silicate

zinc tartrate

magnesium oxide

magnesium carbonate

magnesium fluoride

magnesium hydroxide

magnesium laurate

magnesium myristate

s magnesium oleate

magnesium palmitate

magnesium stearate

magnesium orthophosphate

magnesium pyrophosphate magnesium silicate

The amount of deodorant present in the composition according to the invention is from 0.5 to 20%, preferably from 1 to 15% by weight of the composition.

#### The Cellulosic Polymer

The composition according to the invention also comprises a cellulosic polymer having a water absorbing capacity of at least 1.

By "water absorbing capacity" we mean that the polymer has the ability to absorb an amount of water at least equal to its own weight.

Preferably the cellulosic polymer will have a water absorbing capacity of at least 5, most preferably of at least 10 or even higher.

Particularly preferred examples of cellulosic polymers are cross-linked carboxymethylcelluloses, such as AKUCELL, available from AKZO, and AQUALON available from HERCULES.

The amount of cellulosic polymer present in the composition according to the invention is from 1 to 50%, preferably from 5 to 30% by weight of the composition.

#### 20 The Volatile Silicone

15

30

35

The composition according to the invention also comprises a linear or cyclic volatile silicone.

Examples of volatile silicones include polydimethyl cyclosiloxane, having a viscosity of less than 5mm<sup>2</sup>s<sup>-1</sup>, examples of which are DOW CORNING 344 Fluid (tetramer) and DOW CORNING 345 Fluid (pentamer), and volatile hexamethyldisiloxane having a viscosity of not more than 0.65mm<sup>2</sup>s<sup>-1</sup>, for example DOW CORNING 200 Fluid (0.65mm<sup>2</sup>s<sup>-1</sup>).

The preferred volatile silicones are the cyclic forms.

The amount of volatile silicone present in the composition according to the invention is from 1 to 90%, preferably from 5 to 70% by weight of the composition.

## Other Ingredients

The composition according to the invention can comprise other ingredients, in addition to those already identified, depending on the nature and form of the finished product.

Examples of other ingredients which can optionally be present in the composition according to the invention include:

non-volatile silicones, such as a polydimethylsiloxane having a viscosity in excess of 5mm<sup>2</sup>s<sup>-1</sup>, for example, from 50 to 1000mm<sup>2</sup>s<sup>-1</sup>, such as DOW CORNING 200 Fluids (standard viscosities 50-1000mm<sup>2</sup>s<sup>-1</sup>);

thickeners, such as clays, for example Bentone 38; silica, for example Aerosil 200;

skin feel improves, such as talc and finely divided polyethylene, an example of which is ACUMIST B18; cosmetically acceptable vehicles, such as anhydrous ethanol and other emollients;

gelling agents, such as stearyl alcohol or waxes, for example Castor wax; perfumes;

preservatives; and

st other cosmetic adjuncts conventionally employed in stick, roll-on and spray deodorant products.

The ingredients other than the deodorant, cellulosic polymer and volatile silicone which can optionally be present in the composition according to the invention can conveniently form the balance of the composition, and accordingly can form up to 90%, preferably from 10 to 80% by weight of the composition.

### 50 Product Form

The composition according to the invention can take the form of liquid or solid products, each of which is suited to or adapted for topical application to human skin. One convenient form of the composition according to the invention is a solid stick, usually contained in a suitable holder or dispenser to enable it to be applied to the area of the skin, particularly the underarm, where control of perspiration and deodorancy is required.

Another form of the composition of the invention is a lotion suitable for inclusion in a roll-on dispenser, fitted with a ball valve, to enable the product to be rolled onto the skin in a manner which is conventional in

#### EP 0 471 392 A2

the art. A further example of a composition according to the invention is the liquid composition for dispensing via a finger operated pump-spray or a hand operated squeeze spray to provide for delivery to the skin of a finely divided spray or aerosol, without the use of environmentally unfriendly propellant gases to deliver it.

## Use of the composition

The invention also provides for the use of a propellant-free deodorant composition, in accordance with the invention, as herein defined, in perspiration and body malodour control, following topical application to human skin.

A preferred embodiment of the invention provides for the use of a propellant-free deodorant composition comprising

- i. from 0.5 to 20% by weight of zinc carbonate;
- ii. from 1 to 50% by weight of cross-linked carboxymethyl cellulose, having a water absorbing capacity of at least 1; and
- iii. from 1 to 90% by weight of linear or cyclic volatile silicone;

in controlling perspiration and body malodour following topical application to the skin, particularly the underarm, of the composition according to the invention.

## 20 Examples

15

30

35

The invention is further illustrated by the following examples.

#### Example 1

25

This examples illustrates a deodorant stick product according to the invention. The stick had the following formulation:

	% w/w
Volatile silicone - DOW CORNING 345	61.0
Akucell	10.0
Zinc carbonate	6.0
Castor wax	4.0
Stearyl alcohol	16.0
PEG 400 distearate	2.0
Perfume	1.0

# Example 2

This example illustrates a deodorant roll-on product according to the invention. The roll-on lotion, for use in a roll-ball applicator, had the following formulation:

	% w/w
Volatile silicone - DOW CORNING 344 + 345	59.95
Akucell	10.0
Zinc carbonate	8.0
Acumist B18*	7.0
Bentone 38	1.0
Aerosil 200	0.55
Silicone 200 fluid 50mm <sup>2</sup> s <sup>-1</sup>	12.0
Ethanol, anhydrous	0.5
Perfume	1.0

<sup>\*</sup> Finely divided polyethylene powder - particle size 18µm.

4

45

50

55

# Example 3

This example illustrates a deodorant lotion suitable for dispensing from a hand operated squeeze spray device which is operated without environmentally unfriendly gaseous propellants.

	% w/w
Volatile silicone - DOW CORNING	12.0
Akucell	10.0
Zinc carbonate	2.0
Ethanol, anhydrous	72.5
Bentone 38	2.5
Perfume	1.0

15

20

10

#### Claims

- 1. A propellant-free deodorant composition suitable for topical application to human skin, which comprises:
  - i. an effective amount of a deodorant chosen from salts or oxides of zinc or magnesium, which are sparingly soluble in water;
  - ii. a cellulosic polymer having a water absorbing capacity of at least 1; and
  - iii. a volatile silicone.
- 2. A composition according to claim 1, in which the zinc salt is zinc carbonate.
  - A composition according to claim 1 or 2, in which the deodorant forms from 1 to 20% by weight of the composition.
- A composition according to any of claims 1, 2 or 3, in which the cellulosic polymer has a water absorbing capacity of at least 10.
  - 5. A composition according to any preceding claim, in which the cellulosic polymer is a cross-linked carboxymethyl cellulose.
- 6. A composition according to any preceding claim, in which the cellulosic polymer forms from 1 to 50% by weight of the composition.
- A composition according to any preceding claim, in which the volatile silicone is a linear or cyclic polydimethyl siloxane.
  - 8. A compositin according to any preceding claim, in which the volatile silicone form from 1 to 90% by weight of the composition
- 9. A propellant-free deodorant composition suitable for topical application to human skin which comprises: i. from 1 to 20% by weight of zinc carbonate;
  - ii. from 1 to 50% by weight of cross-linked carboxymethyl cellulose, having a water absorbing capacity of at least 1; and
  - iii. from 1 to 90% by weight of a linear or cyclic volatile silicone.
- 10. The use of a propellant-free deodorant composition comprising:
  - i. an effective amount of a deodorant chosen from salts or oxides of zinc or magnesium, which are sparingly soluble in water:
  - ii. a cellulosic polymer having a water absorbent capacity of at least 1; and
  - iii. a volatile silicone;

55

for the control of perspiration and reduction of body malodour following topical application to human skin.





1 Publication number:

0 471 392 A3

12)

# **EUROPEAN PATENT APPLICATION**

21) Application number: 91201722.5

(5) Int. Cl.<sup>5</sup>: **A61K 7/32**, A61K **7/36**, A61K **7/48** 

2 Date of filing: 04.07.91

Priority: 13.07.90 GB 9015502

② Date of publication of application: 19.02.92 Bulletin 92/08

Designated Contracting States:
AT BE CH DE DK ES FR GB GR IT LI NL SE

Date of deferred publication of the search report:
11.03.92 Bulletin 92/11

7) Applicant: UNILEVER NV Burgemeester s'Jacobplein 1 P.O. Box 760 NL-3000 DK Rotterdam(NL)

(A) BE CH DE DK ES FR GR IT LI NL SE AT

7) Applicant: UNILEVER PLC
Unilever House Blackfriars
London EC4P 4BQ(GB)

GB

Inventor: Park, Andrew Campbell, Unilever Research Port Sunlight Laboratory, Quarry Road East Bebington, Wirral, Merseyside L63 3JW(GB)

(A) Representative: van Gent, Jan Paulus et al Unilever N.V., Patent Division Postbus 137 NL-3130 AC Vlaardingen(NL)

(S4) Deodorant composition.

A propellant-free deodorant composition suitable for topical application to human skin, which comprises:

i an effective amount of a deodorant chosen from salts or oxides of zinc or magnesium, which are sparingly soluble in water;

ii a cellulosic polymer having a water absorbing capacity of at least 1; and iii a volatile silicone.

EP 91 20 1722

	DOCUMENTS CONSI	DERED TO BE RELEV	ANT	
Category	Citation of document with is of relevant pa	ndication, where appropriate,	Reisvant to claim	CLASSIFICATION OF THE APPLICATION (Int. CL.5)
A	EP-A-0 024 176 (UN * The whole documen	ILEVER N.V.)	1-3,5,6 ,9,10	A 61 K 7/32 A 61 K 7/36
A	EP-A-0 024 175 (UN * The whole documen	ILEVER N.V.) t *	1,5,6,9 ,10	A 61 K 7/48
A	US-A-4 863 721 (T * The whole documen	A. BECK et al.) t *	1,7-10	
		·		
				TECHNICAL FIELDS SEARCHED (int. Cl.5)
				A 61 K
	•			·
	The present search report has b	oca drawa up for all claims		
	Place of search	Date of completion of the search		President
THE	HAGUE	09-12-1991		RA GONZALEZ M.T.
CATEGORY OF CITED DOCUMENTS  T: theory or principle underlying the invention  E: earlier partent document, but published on, or  String particularly relevant if combined with another document of the same category  L: document cited for other reasons				ished on, or
O : 201	hnological background n-written disclosure principal document	the same patent family	y, corresponding	

OLN 150 CLE (P